Datasheet



Get a Quote

Overview

Centralized Monitoring Board

Quick Specification

Table 1 shows the quick specification.

EH1D200CMU00
03030NWB
Centralized Monitoring Board
Hardware
Hardware
Networking
Switch
Monitoring Board
Campus Switch
S12700
6920702733423
PCS
1.5
0.00993
485*195*105
412*112*19
0.8

Figure 1 shows the appearance of EH1D200CMU00.





Datasheet



Product Details


Figure 2 show the indicators on the EH1D200CMU00 panel.



Note:

Number	Indicator	Color	Description
(1)		Green	Slow blinking: The card software is running properly.
			Fast blinking: The card software is unregistered.
	RUN/ALM: running		Steady on: The card has failed and the fault requires manual intervention.
	status indicator	Red	Slow blinking: The switch is reporting an alarm. For example, a CMU, fan module, or power
		Keu	module on the switch fails.
			Fast blinking: The input power is insufficient.
(2)	ACT: active/standby	Green	Steady on: The card is the active CMU.
(2)	status indicator	Green	Off: The card is the standby CMU.

Figure 3 shows the ports on the EH1D200CMU00.





Datasheet



Note:

Silkscreen	Name	Color	Status	Description
		Green	Slow blinking	The card software is running properly.
	Running	Green	Fast blinking	The card software is unregistered.
RUN/AL M	RUN/AL status Red	Red	Steady on	The card has failed and the fault requires manual intervention.
IVI	indicator	indicator Slow Red blinking	The switch is reporting an alarm. For example, a CMU, fan module, or power module on the switch fails.	
	Red	Fast blinking	The input power is insufficient or a 1600 W DC power module is installed.	
	Active/sta	Green	Steady on	The card is the active CMU.
ACT	ndby status indicator	Green	Off	The card is the standby CMU.

Get more information

Do you have any question about the EH1D200CMU00 (03030NWB)?

Contact us now via info@hi-network.com.

Specification

EH1D200CMU00 Specification					
Basic Information					
Model	EH1D200CMU00				
Part Number	03030NWB				
Description	Centralized Monitoring Board				
Level-1 category	CMU				
Technical Specifications					
Dimensions without packaging (H x W x D) [mm(in.)]	19.8 mm x 112.9 mm x 412.7 mm (0.78 in. x 4.44 in. x 16.25 in.)				
Weight without packaging [kg(lb)]	0.22				
Maximum power consumption [W]	1				
Maximum heat dissipation [BTU/hour]	3.41				



Datasheet



Want to Buy

Get a Quote









<u>Learn More</u> about Hi-Network

Search our Resource Library

Follow us on LinkedIn

Contact for Sales or Support

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223

