SFP-H25G-CU5M Datasheet



Get a Quote

Overview

The Cisco SFP-H25G-CU5M Compatible 25G SFP28 Passive Direct Attach Copper Twinax Cable is designed for use in 25GBASE Ethernet. This cable is compliant with IEEE P802.3 by Ethernet standard and SFP28 MSA Compliant. Each SFP28 connector comprises an EEPROM providing product information which can be read by the host system. With these features, this easy to install, high speed, cost-effective direct attach copper twinax cable is suitable for short-distance connectivity within a rack or between adjacent racks in data centers.

Quick Specification

Table 1 shows the quick specification.

Cisco Compatible	SFP-H25G-CU5M
Connector Type	SFP28 to SFP28
Max Data Rate	25Gbps
Minimum Bend Radius	30mm
Wire AWG	26AWG
Cable Length	5m (16.4ft)
Jacket Material	PVC (OFNR)
Typical Power Consumption	≤0.5W
Power Supply	3.3V
Temperature	0 to 70°C (32 to 158°F)
Protocols	IEEE 802.3, SFP28 MSA, SFF-8402, Infiniband, EIA 364-1000
Application	25G Ethernet, Data Center, 5G Wireless

Figure 1 shows the appearance of SFP-H25G-CU5M.





SFP-H25G-CU5M Datasheet



Product Details

- Interoperable with other IEEE-compliant 25G interfaces where applicable
- Certified and tested on Cisco SFP28 ports for superior performance, quality, and reliability
- High-speed connectivity compliant to IEEE 802.3by and IEEE 802.3cc

Get More Information

Do you have any question about the SFP-H25G-CU5M?

Contact us now via info@hi-network.com.

Specification

SFP-H25G-CU5M Specification Technical Specification		
Form Type	SFP28 to SFP28	
Length (ft)	16.4	
Length (m)	5	
Media	Copper	
Speed	25GBase	
Speed Description	25-Gigabit	
Transceiver Type	CU	
Applications 1	x	
Physical Specification		
Product Shipping Dimension (HxWxD)	2.5 in. x 14 in. x 14 in.	
Product Shipping Weight (LB)	0.6	

Want to Buy

Get a Quote















.com

Learn More about Hi-Network

Search our Resource Library

Follow us on LinkedIn

Contact for Sales or Support

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223

