

Overview

Cisco WS-C2960L-48TS-AP 48 port GigE, 4 1G SFP and LAN Lite, is one of Cisco Catalyst Cisco Catalyst 29-L Series. These two 2960-L configuration are formally configured, the switch Gigabit Gigabit provides access to a 2-level business class level level for the branch offices, space works normally and local closet applications.

Quick Specification


| | |
|----------------------------|---------------------------------------------|
| Product Code | WS-C2960L-48TS-AP |
| IOS | LAN Lite |
| Forwarding bandwidth | 52 Gbps |
| Switching bandwidth | 104 Gbps |
| 10/100/1000 Ethernet Ports | 48 |
| Uplink Interfaces | 4 x 1G SFP |
| Fanless | Y |
| DRAM | 512 MB |
| Flash memory | 256 MB |
| Net Weight | 7.21 lb (3.27 kg) |
| Dimensions (H x D x W) | 1.73 x 9.45 x 17.5 in. (4.4 x 24 x 44.5 cm) |

Get a Quote



Product Details:

The Front Panel:



| | |
|---|--------------------------------|
| ① | Mode button |
| ② | USB mini-Type B (console) port |
| ③ | RJ-45 Console |
| ④ | 48 x 10/100/1000 PoE+ ports |
| ⑤ | SFP module slots |
| ⑥ | USB Type A port |

The Back Panel:



- There are a Security slot and an AC power connector on the back panel.





Get a Quote

Accessories For WS-C2960L:

Recommended Elements:

| Model | Description |
|----------------------------------|---------------------------------------------------------------------|
| CAB-CONSOLE-USB | Cisco CAB-CONSOLE-USB Console Cable 6 ft with USB Type A and mini-B |
| CAB-CONSOLE-RJ45 | Cisco CAB-CONSOLE-RJ45 Console Cable 6ft with RJ45 and DB9F |
| CAB-ACE= | CAB-ACE= AC Power Cord (Europe), C13, CEE 7, 1.5M |
| CAB-ACU= | CAB-ACU= AC Power Cord (UK), C13, BS 1363, 2.5m |

Compare To Similar Items:

| Model | WS-C2960L-48PS-AP | WS-C2960L-48TS-AP |
|----------------------------|-----------------------------------|-----------------------------------|
| IOS | LAN Lite | LAN Lite |
| Forwarding bandwidth | 52 Gbps | 52 Gbps |
| Switching bandwidth | 104 Gbps | 104 Gbps |
| 10/100/1000 Ethernet Ports | 48 | 48 |
| Uplink Interfaces | 4 x 1G SFP | 4 x 1G SFP |

Get more information:

Do you have any question about WS-C2960L-48TS-AP?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

| | |
|----------------------------|----------------------------------------------|
| 10/100/1000 Ethernet Ports | 48 |
| Uplink Interfaces | 4 SFP |
| Dimensions (H x D x W) | 1,73 x 9,45 x 17,5 inch (4,4 x 24 x 44,5 cm) |
| Net Weight | 7.21 lb (3.27 kg) |
| CPU | ARMv7 800 MHz |
| DRAM | 512 MB |
| Flash memory | 256 MB |
| Forwarding bandwidth | 52 Gbps |





[Get a Quote](#)

| | |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Switching bandwidth | 104 Gbps |
| Forwarding rate (64-byte L3 packets) | 77,38 Mpps |
| Up to 5,000 ft | 23°F to 113°F (-5°C to 45°C) |
| Up to 10,000 ft | 23°F to 104°F (-5°C to 40°C) |
| Operating altitude | 10,000 ft (3000m) |
| Operating relative humidity | 5% to 90% at 40°C |
| Voltage (autoranging) | 110 to 220V AC in |
| Frequency | 50 to 60 Hz |
| Current | 0.29A to 0.48A |
| Power rating (maximum consumption) | 0.09 kVA |
| Safety | UL 60950-1 Second Edition, CAN/CSA-C22.2 No. 60950-1 Second Edition, EN 60950-1 Second Edition, IEC 60950-1 Second Edition, AS/NZS 60950-1 |
| EMC: emissions | 47CFR Part 15 (CFR 47) Class A, AS/NZS CISPR22 Class A, CISPR22 Class A, EN55022 Class A, ICES003 Class A, VCCI Class A, EN61000-3-2, EN61000-3-3, KN22 Class A, CNS13438 Class A |
| EMC: immunity | EN55024, CISPR24, EN300386, KN24 |
| Environmental | Reduction of Hazardous Substances (RoHS) including Directive 2011/65/EU |

Want to Buy

[Get a Quote](#)



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: [echo.hinetwork](https://www.skype.com/add?contact=echo.hinetwork)

WhatsApp Business: +8618057156223

