

Get a Quote

Overview

Cisco SFP-10G-LR-S compatible SFP+ transceiver provides 10GBase-LR throughput up to 10km over single-mode fiber (SMF) using a wavelength of 1310nm via an LC connector. It is guaranteed to be 100% compatible with the equivalent Cisco transceiver.

Quick Specification

SKU	SFP-10G-LR-S=
Connector	LC
Form Type	SFP+
Cable Type	SMF
Distance (Max.)	10km
Interface Details	10GBase LR
Dimension (HxWxD)	1.2 in. x 2.75 in. x 4.75 in.

Product Details:

The Front Panel:



SFP-10G-LR-S= provides the following features:

- ① Duplex LC connector
- ② Support hot-pluggable

- ③Metal with lower EMI
- ④Excellent ESD protection
- ⑤DFB Transmitter and PIN Receiver
- ⑥Distance up to 10km on 9/125um SMF
- ⑦Single 3.3V power supply and Low power dissipation
- ⑧GR-253-CORE compliant
- ⑨RoHS Compliant and Lead-Free
- ⑩Compliant with IEEE 802.3ae
- ⑪Compliant with SFP+ MSA: SFF-8431 Rev4.1
- ⑫Compliant with SFF-8472 Rev.11.0
- ⑬Digital diagnostic compatible with SFF-847 Rev11.0

Compare to Similar Items:

Product Name	SFP-10G-LR-S=	SFP-10G-SR
Wavelength (nm)	1310	850
Cable Type	MMF	SMF
Distance (Max.)	10km	300m
Operating Temperature Range	0°C to 70°C	0°to 70°C

Get more information:

Do you have any question about the SFP-10G-LR-S=?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

Compatible OEM	Cisco
Connector	LC
Form Type	SFP+
Connection	SMF
Reach	10km
Speed Description	10-Gigabit
Transceiver Type	LR
Wavelength	1310nm



Dimension (HxWxD)	1.2 in. x 2.75 in. x 4.75 in.
Temperature Range	0°C to 70°C
Digital Diagnostics (DDM)	Yes
Hot Swappable	Yes
Data Rate	8 Gbps to 11.3 Gbps
Interface Details	10GBase LR

Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223

