

Overview

NOKIA Alcatel-Lucent 7360 ISAM FX 8-port symmetric 10G GPON (XGS-PON/TWDM-PON) line termination board

Quick Specification

Model	FWLT-B
10GPON Port	8 x 10G XGS-PON/TWDM-PON Port
XGS-PON	dual rate, 10G/10G and 10G/2.5G capable
TWDM-PON	either 10G/10G or 10G/2.5G capable
Encapsulation Type	XFP
Weight	2kg
Dimensions (W x D x H)	Height: 405 mm Depth: 225 mm

Product Details:

The Front Panel:



Get more information:

Do you have any question about the FWLT-B?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

Model	FWLT-B
Service ports	
10GPON Port	8 x 10G XGS-PON/TWDM-PON Port
Optical Module	
XGS-PON	dual rate, 10G/10G and 10G/2.5G capable
TWDM-PON	either 10G/10G or 10G/2.5G capable
Encapsulation Type	XFP
Operation Conditions	
Inlet/ambient temperature range	-5°C to 45°C (23°F to 113°F) ,when used in fully populated ISAM FX rack.
Humidity	10% to 95% (non-condensing)
Device Specifications	
Weight	2kg
Dimensions (W x D x H)	Height: 405 mm Depth: 225 mm

Want to Buy

[Get a Quote](#)

[Learn More](#) about Hi-Network

[Search](#) our Resource Library

[Follow](#) us on LinkedIn

 Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

 Email: info@hi-network.com

FWLT-B Datasheet

Get a Quote



HI-NETWORK.com

Your Global Original Network Supplier

Skype: echo.hinetwork

WhatsApp Business: +8618057156223

Buy Huawei, Cisco, Zte, Hpe, Dell, Fortinet Network Equipment
Online In China At Low Price! www.hi-network.com



HI-NETWORK.com

Your Global Original Network Supplier