

Get a Quote

## Overview

The Cisco ASA 5550 Adaptive Security Appliance ASA5550-BUN-K9 delivers gigabit-class security services with Active/Active high availability and fiber and Gigabit Ethernet connectivity for large enterprise and service-provider networks in a reliable, 1-rack-unit form factor. Using its eight Gigabit Ethernet interfaces, four Small Form-Factor Pluggable (SFP) fiber interfaces\*, and support for up to 200 VLANs, businesses can segment their network into numerous high-performance zones for improved security.

## Quick Specification

Table 1 shows the quick spec.

Product Code	ASA5550-BUN-K9
Product Description	Cisco ASA 5550 Firewall Edition includes 8 Gigabit Ethernet interfaces + 1 Fast Ethernet interface, 4 Gigabit SFP interfaces, 5000 IPsec VPN peers, 2 SSL VPN peers, 3DES/AES license
Users/Nodes	Unlimited
Firewall Throughput	Up to 1.2 Gbps
Maximum Firewall and IPS Throughput	Not available
Memory	4 GB
Minimum System Flash	64 MB
Dimensions (H x W x D)	1.75 x 17.5 x 14.25 in. (4.45 x 20.04 x 36.20 cm)
Weight (with Power Supply)	22.0 lb (10 kg)

Figure 1 shows the appearance of ASA5550-BUN-K9.



## Product Details

### Compare to Similar Items

Table 2 shows the comparison between ASA5550-BUN-K9 and ASA5505-BUN-K9.

Product Code	ASA5550-BUN-K9	ASA5505-BUN-K9
Product Description	Cisco ASA 5550 Firewall Edition includes 8 Gigabit Ethernet interfaces + 1 Fast Ethernet interface, 4 Gigabit SFP interfaces, 5000 IPsec VPN peers, 2 SSL VPN peers, 3DES/AES license	ASA 5505 Security Appliance with SW, 10 Users, 8 ports, 3DES/AES, Cisco ASA 5500 Series Firewall Edition Bundles
Users/Nodes	Unlimited	10
Firewall Throughput	Up to 1.2 Gbps	Up to 150 Mbps
Maximum Firewall and IPS Throughput	Not available	• Up to 150 Mbps with AIP-SSC-5
Memory	4 GB	256 MB
Minimum System Flash	64 MB	64 MB
Dimensions (H x W x D)	1.75 x 17.5 x 14.25 in. (4.45 x 20.04 x 36.20 cm)	1.75 x 7.89 x 6.87 in. (4.45 x 20.04 x 17.45 cm)
Weight (with Power Supply)	22.0 lb (10 kg)	4.0 lb (1.8 kg)

### Get More Information

Do you have any question about the ASA5550-BUN-K9?

Contact us now via [info@hi-network.com](mailto:info@hi-network.com).

## Specification

ASA5550-BUN-K9 Specification	
Product Number	ASA5550-BUN-K9
Product Description	Cisco ASA 5550 Firewall Edition includes 8 Gigabit Ethernet interfaces + 1 Fast Ethernet interface, 4 Gigabit SFP interfaces, 5000 IPsec VPN peers, 2 SSL VPN peers, 3DES/AES license
Users/Nodes	Unlimited
Firewall Throughput	Up to 1.2 Gbps
Maximum Firewall and IPS Throughput	Not available
3DES/AES VPN Throughput	Up to 425 Mbps
IPsec VPN Peers	5000

SSL VPN Peers Included/ Maximum)	2/5000
Concurrent Connections	650,000
New Connections/ Second	36,000
Integrated Network Ports	8 Gigabit Ethernet, 4 SFP Fiber, 1 Fast Ethernet
Virtual Interfaces (VLANs)	250
Security Contexts (Included/ Maximum)	2/50
High Availability	Active/Active and Active/ Standby
Expansion Slot	0
User-Accessible Flash Slot	1
USB 2.0 Ports	2
Serial Ports	2 RJ-45, console and auxiliary
Rack-Mountable	Yes
Wall-Mountable	Not Available
Security Lock Slot (for Physical Security)	Not Available
Memory	4 GB
Minimum System Flash	64 MB
System Bus	Multibus architecture
Form Factor	1 RU, 19-in. rack-mountable
Dimensions (H x W x D)	1.75 x 17.5 x 14.25 in. (4.45 x 20.04 x 36.20 cm)
Weight (with Power Supply)	22.0 lb (10 kg)
Safety	UL 60950, CSA C22.2 No. 60950, EN 60950 IEC 60950, AS/NZS60950
Electromagnetic Compatibility (EMC)	CE marking, FCC Part 15 Class A, AS/NZS CISPR22 Class A, VCCI Class A, EN55022 Class A, CISPR22 Class A, EN61000-3-2, EN61000-3-3
Industry Certifications	FIPS 140-2 Level 2. In process: Common Criteria EAL4+ US DoD Application- Level Firewall for Medium-Robustness Environments, and Common Criteria EAL4 for IPsec/SSL VPN

## Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)



## Contact HI-NETWORK.COM For Global Fast Shipping

---

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: [info@hi-network.com](mailto:info@hi-network.com)

Skype: echo.hinetwork

WhatsApp Business: +8618057156223