



Overview

Cisco Catalyst 9300 Series is the next generation of the industry's most widely deployed stackable switching platform. Built for security, IoT, and the cloud, these network switches form the foundation for Cisco's Software-Defined Access, our leading enterprise architecture. Cisco Catalyst 9300L switches are the Catalyst 9300 switches with fixed modules.

Quick Specification

Product Code	C9300L-24P-4G-A
Downlinks total 10/100/1000 or PoE+ copper ports	24 ports full PoE+
Uplink configuration	4x 1G fixed uplinks
Default primary AC power supply	PWR-C5-600WAC
Fans	Fixed redundant
Software	Network Advantage
Stacking bandwidth	80 Gbps
DRAM	2 GB
Flash	4 GB
Switching capacity	56 Gbps
Forwarding rate	83.33 Mpps
Chassis Dimensions	1.73 x 17.5 x 11.3 in 4.4 x 44.5 x 28.8 cm
Weight	4.35 Kg





Get a Quote

Model List

SKU	Description
C9300L-24T-4G-E	Catalyst 9300 24-port fixed uplinks data only, 4X1G uplinks, Network Essentials
C9300L-24T-4G-A	Catalyst 9300 24-port fixed uplinks data only, 4X1G uplinks, Network Advantage
C9300L-24P-4G-E	Catalyst 9300 24-port fixed uplinks PoE+, 4X1G uplinks, Network Essentials
C9300L-24P-4G-A	Catalyst 9300 24-port fixed uplinks PoE+, 4X1G uplinks, Network Advantage
C9300L-48T-4G-E	Catalyst 9300 48-port fixed uplinks data only, 4X1G uplinks, Network Essentials
C9300L-48T-4G-A	Catalyst 9300 48-port fixed uplinks data only, 4X1G uplinks, Network Advantage
C9300L-48P-4G-E	Catalyst 9300 48-port fixed uplinks PoE+, 4X1G uplinks, Network Essentials
C9300L-48P-4G-A	Catalyst 9300 48-port fixed uplinks PoE+, 4X1G uplinks, Network Advantage
C9300L-48PF-4G-E	Catalyst 9300 48-port fixed uplinks Full PoE+, 4X1G uplinks, Network Essentials
C9300L-48PF-4G-A	Catalyst 9300 48-port fixed uplinks Full PoE+, 4X1G uplinks, Network Advantage
C9300L-24T-4X-E	Catalyst 9300 24-port fixed uplinks data only, 4X10G uplinks, Network Essentials
C9300L-24T-4X-A	Catalyst 9300 24-port fixed uplinks data only, 4X10G uplinks, Network Advantage
C9300L-24P-4X-E	Catalyst 9300 24-port fixed uplinks PoE+, 4X10G uplinks, Network Essentials
C9300L-24P-4X-A	Catalyst 9300 24-port fixed uplinks PoE+, 4X10G uplinks, Network Advantage
C9300L-48T-4X-E	Catalyst 9300 48-port fixed uplinks data only, 4X10G uplinks, Network Essentials
C9300L-48T-4X-A	Catalyst 9300 48-port fixed uplinks data only, 4X10G uplinks, Network Advantage
C9300L-48P-4X-E	Catalyst 9300 48-port fixed uplinks PoE+, 4X10G uplinks, Network Essentials
C9300L-48P-4X-A	Catalyst 9300 48-port fixed uplinks PoE+, 4X10G uplinks, Network Advantage
C9300L-48PF-4X-E	Catalyst 9300 48-port fixed uplinks Full PoE+, 4X10G uplinks, Network Essentials
C9300L-48PF-4X-A	Catalyst 9300 48-port fixed uplinks Full PoE+, 4X10G uplinks, Network Advantage



Get a Quote

Product Details:

The Front Panel:



The Back Panel:



Get more information:

Do you have any question about C9300L-24P-4G-A?

Contact us now via e-mail: info@hi-network.com



Specific Data Sheet:

Model Name	C9300L-24P-4G-A
Designed to replace	Catalyst 3850
Supported IOS	Network Advantage, Network Essentials
Network modules options	Fixed Modules
Stack Technology	StackWise-320
Stacking bandwidth	320 Gbps
Total number of MAC addresses	32,000
Total number of IPv4 routes (ARP plus learned routes)	32,000 (24,000 direct routes and 8,000 indirect routes)
IPv4 routing entries	-
IPv6 routing entries	16,000
Multicast routing scale	8,000
QoS scale entries	5120
ACL scale entries	5120
Packet buffer per SKU	16 MB buffers for 24- or 48-port Gigabit Ethernet models
Flexible NetFlow (FNF) entries	64,000 flows on 24- and 48-port Gigabit Ethernet models
DRAM	8 GB
Flash	16 GB
VLAN IDs	4094
Total Switched Virtual Interfaces (SVIs)	1000
Jumbo frames	9198 bytes
Switching capacity	56 Gbps - 176 Gbps
Forwarding rate	41.66 Mpps - 130.95 Mpps



Get a Quote



Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223

