

[Get a Quote](#)

Overview

Cisco CBS220-48P-4G 48-Port Gigabit PoE+ Compliant Managed Network Switch with SFP

Quick Specification

Product Code	CBS220-48P-4G
Inputs/Outputs	48 x 10/100/1000 Mb/s Gigabit Ethernet (RJ45) PoE+ 4 x 10/100/1000 Mb/s Gigabit SFP
Layer Services Supported	Layer 2 Support
Jumbo Frames Support	9216 Bytes
MAC Address Table Size	8K
VLAN Groups	256
Forwarding Rate	74.38 Mpps
Switching Bandwidth	104 Gb/s
AC Input Power	110 to 220 VAC, 50 / 60 Hz
PoE Power Budget	382 W
Dimensions	17.3 x 10.1 x 1.7" / 440 x 257 x 44 mm
Weight	11.66 lb / 5.29 kg

Product Details:

The Front Panel:



The back panel



Get more information:

Do you have any question about the CBS220-48P-4G?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

Interfaces	
Inputs/Outputs	48 x 10/100/1000 Mb/s Gigabit Ethernet (RJ45) PoE+ 4 x 10/100/1000 Mb/s Gigabit SFP



Protocols	
Layer Services Supported	Layer 2 Support
Supported Protocols	Auto-MDIX/MDI Head-of-Line (HOL) Blocking IGMP Snooping IPv4 IPv6 Link Aggregation MAC Filtering RADIUS
Queuing	Strict Priority, Weighted Round Robin (WRR)
Jumbo Frames Support	9216 Bytes
MAC Address Table Size	8K
VLAN Groups	256
Security	
Security Features	DoS Attack Prevention RADIUS Authentication
Access Control List	512
Standards	
Supported IEEE Standards	802.1d, 802.1p, 802.1q, 802.1q/p, 802.1s, 802.1w, 802.1x, 802.3ad, 802.3af, 802.3at, 802.3az, 802.3u
Performance	
Forwarding Rate	74.38 Mpps
Switching Bandwidth	104 Gb/s
Packet Buffer	12 Mb
Electrical	
Power Draw	478.2 W (Max)
AC Input Power	110 to 220 VAC, 50 / 60 Hz
PoE Power Budget	382 W
Power Supply Type	Internal
Environmental	
Operating Temperature	32 to 122°F / 0 to 50°C
Operating Humidity	10 to 90%
Storage Temperature	-4 to 158°F / -20 to 70°C
Storage Humidity	10 to 90%
Noise Level	34.8 dB
General	
Cooling System	Fan



Mean Time Between Failures (MTBF)	452,351 Hours
Dimensions	17.3 x 10.1 x 1.7" / 440 x 257 x 44 mm
Weight	11.66 lb / 5.29 kg

Want to Buy?

[Order Now](#)[Get a Quote](#)[Learn More about Hi-Network](#)[Search our Resource Library](#)[Follow us on LinkedIn](#)[Contact for Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

