

Get a Quote

Overview

Cisco 6900 IP Phone CP-6961-C-K9 Cisco UC Phone 6961, Charcoal, Standard Handset for Cisco 6900 IP Phone

Quick Specification

Table 1 shows the quick specification.

Specification	Description
Product Type	VoIP phone
Body Color	Charcoal
Main Features	Multiple VoIP protocol support, integrated Ethernet switch
VoIP Protocols	SCCP, SIP, SRTP
Voice Codecs	G.711, G.729a, G.729ab, G.711a, iLBC, G.729b
Lines Supported	12 lines
Display Location	Base
Display Resolution	396 x 81 pixels
Backlit	Yes

Figure 1 shows the appearance of the CP-6961-C-K9.



Get More Information

Do you have any question about the CP-6961-C-K9?

Contact us now via info@hi-network.com.

Specification

CP-6961-C-K9 Specification	
General	
Product Type	VoIP phone
Body Color	Charcoal
Body Material	ABS plastic
Phone Features	
Call Services	Voice Mail, Caller ID, Call Transfer, Call Hold
Dialer Type	Keypad
Dialer Location	Base
Conference Call Capability	Yes
Speakerphone	Yes (digital duplex)
Menu Operation	Yes
Ring Tones	7
Indicators	Voice message waiting indicator, hold indicator
Firmware Upgradable	Yes
IP Telephony	
Main Features	Multiple VoIP protocol support, integrated Ethernet switch
VoIP Protocols	SCCP, SIP, SRTP
Voice Codecs	G.711, G.729a, G.729ab, G.711a, iLBC, G.729b
Lines Supported	12 lines
Quality of Service	IEEE 802.1Q (VLAN), IEEE 802.1p
Security	TLS
Power Over Ethernet (PoE) Support	Yes
Network Protocols	TFTP, Cisco Discovery Protocol (CDP), SRTP
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX
Compatible Software	Cisco Unified Communications Manager 7.1 or later, Cisco Unified Communications Manager Business Edition 7.1(2)
Voice Features	Comfort noise generation (CNG), voice activity detection (VAD)

Display	
Type	LCD display – monochrome
Display Location	Base
Display Resolution	396 x 81 pixels
Backlit	Yes
Display Languages	Danish, Hebrew, Hungarian, Czech, Croatian, Slovenian, Thai, Slovak, Brazilian Portuguese, English, German, French, Italian, Norwegian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Greek, Turkish, Arabic, Bulgarian, Latvian, Lithuanian, Estonian, Serbian, Romanian, Catalan, Japanese, Chinese, Korean
Miscellaneous	
Connections	Headset jack / RJ-9
Hearing Aid Compatible	Yes
Placing / Mounting	Wall-mountable, table-top
Included Accessories	Power adapter
Compliant Standards	VCCI Class B ITE, CISPR 22 Class B, CISPR 24, EN 60950, EN 61000-3-2, IEC 60950, EN 61000-3-3, EN55024, UL 60950, EN50082-1, CSA 22.2 No. 60950, EN55022 Class B, ICES-003 Class B, EN 61000-6-1, ACA TS001, FCC CFR47 Part 68, FCC CFR47 Part 15 B, AS/NZS 60950, HAC (Hearing Aid Compatible)
Dimensions & Weight (Base)	
Width	9.4 in
Depth	8.2 in
Height	6.5 in
Weight	2.7 lbs
Manufacturer Warranty	
Service & Support	Limited warranty – 1 year

Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)



Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223