

Get a Quote

Overview

SFP-GE-T is a Cisco compatible 1000Base SFP Transceiver. SFP-GE-T arrives programmed from the factory with the exact same configuration data as its Cisco OEM equivalent, which allows for seamless network integration. This SFP transceiver performs identically to Cisco original transceivers and is 100% compatible with other OEM and third party transceivers.

Quick Specification

Model	Cisco SFP-GE-T
Form Factor:	SFP
TX Wavelength:	NA
Reach:	100m
Cable Type:	copper ethernet
Rate Category:	1000Base
Interface Type:	T
DDM:	No
Connector Type:	RJ45

Product Details:

The Front Panel:



Get more information:

Do you have any question about the SFP-GE-T?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

Model	Cisco SFP-GE-T
Device Type	SFP (mini-GBIC) transceiver module
Form Factor	Plug-in module
Connectivity Technology	Wired
Cabling Type	1000Base-T
Data Link Protocol	GigE
Data Transfer Rate	1 Gbps
Interfaces	1 x Ethernet 1000Base-T - RJ-45
Compatible Slots	1 x SFP (mini-GBIC)
Compliant Standards	NEBS level 3
Width	0.6 in
Depth	2.8 in
Height	0.6 in
Min Operating Temperature	32 °F
Max Operating Temperature	158 °F
Designed For	P/N: CISCO10720-AC-A, CISCO10720-AC-A=, CISCO10720-DC-A, CISCO10720-DC-A=, CWDM-SFP-1470=, CWDM-SFP-1490, CWDM-SFP-1490=, CWDM-SFP-1510, CWDM-SFP-1510=, CWDM-SFP-1530, CWDM-SFP-1550=, CWDM-SFP-1570, CWDM-SFP-1570=, CWDM-SFP-1590, CWDM-SFP-1590=, CWDM-SFP-1610, CWDM-SFP-1610=, GLC-GE-100FX, GLC-GE-100FX=, SFP-GE-L, SFP-GE-L=, SFP-GE-S, SFP-GE-S=, SFP-GE-T=, SFP-GE-Z, SFP-GE-Z=

Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: [echo.hinetwork](https://www.skype.com/people/echo.hinetwork)

WhatsApp Business: +8618057156223