

Get a Quote

## Overview

Cisco 3rd Party OC-3/STM-1 Plug-gable Short-reach (2 km) 1310-nm Wavelength GBIC. OC-3/STM-1 plug-gable short-reach (2 km) transceiver module, 1310-nm wavelength, LC connector.

## Quick Specification

Product Name	SFP-OC3-SR
Reach	2 km
Wavelength	1310nm
Fiber/Cable Type	Single Mode Fiber (SMF)
Connector	LC duplex connector

## Product Details:

### The Front Panel:



Get more information:

Do you have any question about the SFP-OC3-SR?

Contact us now via e-mail: [info@hi-network.com](mailto:info@hi-network.com)

## Specific Data Sheet:

Model	Cisco SFP-OC3-SR
Compatibility	PC
Manufacturer	Netscreen
Packaged Quantity	1
Interface Provided	
Type	OC-3
Line Properties	
Line Rate	OC-3
Miscellaneous	
Compliant Standards	RoHS
Networking	
Type	SFP (mini-GBIC) transceiver module
Form Factor	Plug-in module
Connectivity Technology	Wired
Data Transfer Rate	1.544 Mbps
Interface Type	RJ-48
Max Transfer Distance	12.4 miles
Power Device	
Slot Required	
Type	SFP (mini-GBIC)
Total Qty	1

## Want to Buy

---

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

## Contact HI-NETWORK.COM For Global Fast Shipping

---

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: [info@hi-network.com](mailto:info@hi-network.com)

Skype: [echo.hinetwork](https://www.skype.com/people/echo.hinetwork)

WhatsApp Business: +8618057156223