Get a Quote

Overview

This Cisco SFP-H25G-CU1M compatible 25G SFP28 cable provides a high performance and cost-effective replacement for original networking cable. It is a direct attach copper cable with a length of 1 meter (3.28ft). This SFP28 cable is designed for very short links and supports the 25-Gigabit link between SFP28 ports of switches within racks and across adjacent racks. This SFP-H25G-CU1M compatible copper cable is programmed and tested to work with Cisco 25G switches and other platforms.

Quick Specification

Table 1 shows the quick specification.

Cisco Compatible	SFP-H25G-CU1M
Form Type	SFP28 to SFP28
Max Data Rate	25Gbps
Wire AWG	30AWG
Length	1 Meter
Connector Interface	SFP28
Temperature Range	0 to 70℃

Figure 1 shows the appearance of SFP-H25G-CU1M.

Product Features

• Supports data rates up to 25Gbps

• Copper cable assembly

• Cost-effective, short-length alternative to optical cable

• Perfect for 10Gb Ethernet and Fiber Channel applications

Get More Information

Do you have any question about the SFP-H25G-CU1M?

Contact us now via info@hi-network.com.

Specification

SFP-H25G-CU1M Specification	
Media Type:	Twinax Cable
DAC Copper Type:	AWG30
Maximum Distance:	1m
Supported Data Rate:	10.31-28.05 Gbps
Supported Applications:	25G Ethernet (25.78Gbps), 10G Ethernet (10.31Gbps), 32G Fiber Channel (28.05Gbps)
DDM/DOM:	Supported
Temperature Range:	Standard 0°-70°C
Connectors:	SFP+
Power:	+3.3V single power supply
Power Consumption:	0.02W
MTBF:	1 000 000 Hours
Compliance:	CE, RoHS, SFF-8402, SFF-8431, SFP28 MSA
Transceiver Type:	DAC

Want to Buy

Get a Quote

Learn More about Hi-Network.   Search our Resource Library   Follow us on LinkedIn   Contact for Sales or Support

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223

Contact HI-NETWORK.COM For Global Fast Shipping